


## Honors Chemistry Lab #6- Candium Isotopes

Isotopes are different forms of the same element. Therefore, they have the same number of protons and electrons, but they each have a different number of neutrons. For example, think of the three isotopes of hydrogen: H-1 is “regular” hydrogen; H-2 is called deuterium and H-3 is known as tritium. They are all types of hydrogen with only one proton in the nucleus and one electron in the electron cloud, but all three have different numbers of neutrons in their nuclei. In this lab, the “element” is called Candium. The three types of candy you will use are M&Ms, Skittles, and Reese’s Pieces. You will call the three forms (isotopes) of Candium “M&Mium,” “Skittlium,” and “Reesium.” Each isotope of an element has a mass with a natural percent abundance. The atomic mass of the element listed on the periodic table represents the masses of each isotope and their *percent abundances*. The relative abundance and mass of small atomic particles are measured in the laboratory by an instrument called a mass spectrometer (see diagram below).



The mass spectrometer separates particles by mass and measures the mass and relative abundance of each. From these data a weighted average is calculated to determine the atomic mass of the element. For every element, each atom of a given isotope has the same mass; however, you know that each M&M does not have the same mass just like each skittle does not have the same mass. Thus, in this lab you have to determine the average mass of one atom of each isotope of Candium. The purpose of this lab is to use the Candium model to explain the concept of atomic mass and to analyze the “isotopes of Candium” in order to calculate its average atomic mass.

**Safety Requirements:** Do not eat the candies before, during, or after the experiment. Contamination has occurred in this lab. You must return the samples with the exact number of “atoms” that you received.

**Procedure:** 1). Obtain a sample of Candium. 2). Separate the three isotopes and count. Obtain the total mass for each group of isotopes 3). Complete the data table using the instructions found under the “Data Analysis Questions” section. The large X’s in the table indicate cells that do not require data.

**Data:** Please see the next page if you need help with the calculations for the data table.

	Isotope: M&Mium	Isotope: Skittlium	Isotope: Reesesium	Total
Total Mass of Atoms (g)				
Total Number of Atoms				
Average Mass (g)				
Percent Abundance (%)				X
Relative Abundance				X
Relative Mass				

Average Atomic  
Mass of Candium

**Data Analysis (for data table calculations in table above; show all work):**

Calculate the average mass for each isotope

$$\text{Average Mass} = \frac{\text{total mass of atoms}}{\text{total number of atoms}}$$

Calculate the percent abundance of each isotope

$$\% \text{ Abundance} = \frac{\# \text{ of atoms for each isotope}}{\# \text{ of atoms for all isotopes}} \times 100$$

Calculate the relative abundance of each isotope

$$\text{Relative Abundance} = \frac{\text{Percent abundance}}{100} \quad (\text{basically the \% expressed as a decimal})$$

Calculate the relative mass for each isotope.

$$\text{Relative Mass} = \text{Relative Abundance} \times \text{Average mass}$$

Finally, calculate the average atomic mass of this element, Candium (bold box in data table)

$$\text{Average atomic mass of Candium} = \text{Sum of all relative masses}$$

**Post-Lab Questions: (complete all questions in lab notebooks)**

Q1. Compare and contrast the concepts of *average mass* and *relative mass*. Which one is more *accurate*, and why? Why is the one you did not choose *inaccurate*?

Q2. If the isotopes of Candium were truly isotopes (not candy pieces), what characteristics would they have in common? What would be different about each isotope?

Q3. Get the average atomic mass of Candium from two other groups. What are **at least two** reasons why the average atomic mass of your Candium element that you calculated may not match the average atomic mass of any other lab group?


Q4. Is your calculated average atomic mass for Candium closest to the average mass of one of your “isotopes”? Explain why this might occur.

Q5. A laboratory finds four isotopes of iron below, but does not know the exact mass of the last isotope. Using the known mass on the periodic table, what is the mass of the last isotope?

Iron – 56 (91.75%)    Iron – 58 (0.28%)


Iron – 57 (2.12%)    Iron - ??? (5.85%)

Q6. The average atomic weight of oxygen (O) is 15.9994 amu. It has three naturally occurring isotopes,  $^{16}\text{O}$ ,  $^{17}\text{O}$  and  $^{18}\text{O}$ , and 0.037 percent of oxygen is made up of  $^{17}\text{O}$ . If the atomic weights are  $^{16}\text{O} = 15.995$  amu,  $^{17}\text{O} = 16.999$  amu and  $^{18}\text{O} = 17.999$  amu, what are the abundances of the other two isotopes?




Q7. The following mass spectrum is generated through mass spectrometry. In a mass spectrum, each bar represents an ion having a specific mass-to-charge ratio (m/z) and the length of the bar indicates the relative abundance of the ion. Analyze the spectrum, determine which element is represented, and propose an explanation based on the spectrum data.

Q8. Examine the mass spectrum for bromine gas. Propose an explanation for the five peaks shown. Please justify your response.



Q9. Examine the mass spectrum below and answer the following three MCQs. Please briefly justify your answer choice.

**Mass Spectrum of Atom Y**



Based on the mass spectrum of atom Y, which of the following statements is false?

- peak A and peak D come from atoms that have the same number of electrons
- there are seven isotopes of atom Y
- peak C comes from the most abundant isotope of atom Y
- peak D comes from an atom with 4 more protons than the atom that gave peak B

The identity of compound Y is:

- |               |                |
|---------------|----------------|
| a. zirconium  | c. americium   |
| b. molybdenum | d. einsteinium |

Which peak comes from an atom with the greatest number of neutrons?

- |   |      |
|---|------|
| a. A  | c. C |
| b. all peaks in the spectrum have the same number of neutrons | d. D |

Please self-assess your lab report using the rubric/checklist.